



PULEGGE "CT" PER CINGHIE DENTATE PASSO METRICO "AT"

CT5 (Passo 5mm) PER CINGHIA LARGHEZZA 16mm

| | DESCRIZIONE | ESEC. | N. denti | Dp | De | Df | Dm | F | L | d | FLANGIA N. |
|-----------|-------------|-------|----------|-------|-------|------|----|----|----|---|------------|
| ALLUMINIO | 27 CT5 12 | 1F | 12 | 19.10 | 17.85 | 23.0 | 11 | 21 | 27 | - | 1 |
| | 27 CT5 14 | 1F | 14 | 22.29 | 21.05 | 25.0 | 13 | 21 | 27 | - | 2 |
| | 27 CT5 15 | 1F | 15 | 23.88 | 22.65 | 28.0 | 16 | 21 | 27 | 6 | 4 |
| | 27 CT5 16 | 1F | 16 | 25.47 | 24.20 | 32.0 | 18 | 21 | 27 | 6 | 5 |
| | 27 CT5 18 | 1F | 18 | 28.65 | 27.40 | 32.0 | 20 | 21 | 27 | 6 | 6 |
| | 27 CT5 19 | 1F | 19 | 30.25 | 29.00 | 36.0 | 22 | 21 | 27 | 6 | 8 |
| | 27 CT5 20 | 1F | 20 | 31.83 | 30.60 | 36.0 | 23 | 21 | 27 | 6 | 8 |
| | 27 CT5 22 | 1F | 22 | 35.02 | 33.85 | 38.0 | 24 | 21 | 27 | 6 | 9 |
| | 27 CT5 24 | 1F | 24 | 38.21 | 37.00 | 42.0 | 26 | 21 | 27 | 6 | 13 |
| | 27 CT5 25 | 1F | 25 | 39.80 | 38.60 | 44.0 | 26 | 21 | 27 | 6 | 12 |
| | 27 CT5 26 | 1F | 26 | 41.39 | 40.20 | 44.0 | 26 | 21 | 27 | 6 | 12 |
| | 27 CT5 27 | 1F | 27 | 42.98 | 41.80 | 48.0 | 30 | 21 | 27 | 8 | 11 |
| | 27 CT5 28 | 1F | 28 | 44.58 | 43.35 | 48.0 | 32 | 21 | 27 | 8 | 11 |
| | 27 CT5 30 | 1F | 30 | 47.76 | 46.55 | 51.0 | 34 | 21 | 27 | 8 | 16 |
| | 27 CT5 32 | 1F | 32 | 50.94 | 49.70 | 54.0 | 38 | 21 | 27 | 8 | 18 |
| | 27 CT5 36 | 1F | 36 | 57.31 | 56.05 | 64.0 | 38 | 21 | 27 | 8 | 23 |
| | 27 CT5 40 | 1F | 40 | 63.66 | 62.45 | 66.5 | 40 | 21 | 27 | 8 | 24 |
| | 27 CT5 42 | 1F | 42 | 66.86 | 65.60 | 70 | 40 | 21 | 27 | 8 | 26 |
| 27 CT5 44 | 2 | 44 | 70.05 | 68.80 | - | 45 | 21 | 27 | 8 | - | |
| 27 CT5 48 | 2 | 48 | 76.42 | 75.15 | - | 50 | 21 | 27 | 8 | - | |
| 27 CT5 60 | 2 | 60 | 95.52 | 94.25 | - | 65 | 21 | 27 | 8 | - | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

CT5 (Passo 5mm) PER CINGHIA LARGHEZZA 25mm

| | DESCRIZIONE | ESEC. | N. denti | Dp | De | Df | Dm | F | L | d | FLANGIA N. |
|-----------|-------------|-------|----------|-------|-------|------|----|----|----|---|------------|
| ALLUMINIO | 36 CT5 12 | 1F | 12 | 19.10 | 17.85 | 23.0 | 11 | 30 | 36 | - | 1 |
| | 36 CT5 14 | 1F | 14 | 22.29 | 21.05 | 25.0 | 13 | 30 | 36 | - | 2 |
| | 36 CT5 15 | 1F | 15 | 23.88 | 22.65 | 28.0 | 16 | 30 | 36 | 6 | 4 |
| | 36 CT5 16 | 1F | 16 | 25.47 | 24.20 | 32.0 | 18 | 30 | 36 | 6 | 5 |
| | 36 CT5 18 | 1F | 18 | 28.65 | 27.40 | 32.0 | 20 | 30 | 36 | 6 | 6 |
| | 36 CT5 19 | 1F | 19 | 30.25 | 29.00 | 36.0 | 22 | 30 | 36 | 6 | 8 |
| | 36 CT5 20 | 1F | 20 | 31.83 | 30.60 | 36.0 | 23 | 30 | 36 | 6 | 8 |
| | 36 CT5 22 | 1F | 22 | 35.02 | 33.85 | 38.0 | 24 | 30 | 36 | 6 | 9 |
| | 36 CT5 24 | 1F | 24 | 38.21 | 37.00 | 42.0 | 26 | 30 | 36 | 6 | 13 |
| | 36 CT5 25 | 1F | 25 | 39.80 | 38.60 | 44.0 | 26 | 30 | 36 | 6 | 12 |
| | 36 CT5 26 | 1F | 26 | 41.39 | 40.20 | 44.0 | 26 | 30 | 36 | 6 | 12 |
| | 36 CT5 27 | 1F | 27 | 42.98 | 41.80 | 48.0 | 30 | 30 | 36 | 8 | 11 |
| | 36 CT5 28 | 1F | 28 | 44.58 | 43.35 | 48.0 | 32 | 30 | 36 | 8 | 11 |
| | 36 CT5 30 | 1F | 30 | 47.76 | 46.55 | 51.0 | 34 | 30 | 36 | 8 | 16 |
| | 36 CT5 32 | 1F | 32 | 50.94 | 49.70 | 54.0 | 38 | 30 | 36 | 8 | 18 |
| | 36 CT5 36 | 1F | 36 | 57.31 | 56.05 | 64.0 | 38 | 30 | 36 | 8 | 23 |
| | 36 CT5 40 | 1F | 40 | 63.66 | 62.45 | 66.5 | 40 | 30 | 36 | 8 | 24 |
| | 36 CT5 42 | 1F | 42 | 66.86 | 65.60 | 70.0 | 40 | 30 | 36 | 8 | 26 |
| 36 CT5 44 | 2 | 44 | 70.05 | 68.80 | - | 45 | 30 | 36 | 8 | - | |
| 36 CT5 48 | 2 | 48 | 76.42 | 75.15 | - | 50 | 30 | 36 | 8 | - | |
| 36 CT5 60 | 2 | 60 | 95.52 | 94.25 | - | 65 | 30 | 36 | 8 | - | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |



PULEGGE "CT" PER CINGHIE DENTATE PASSO METRICO "AT"

CT10 (Passo 10mm) PER CINGHIA LARGHEZZA 16mm

| | DESCRIZIONE | ESEC. | N. denti | Dp | De | Df | Dm | F | L | d | FLANGIA N. |
|-----------|-------------|-------|----------|--------|--------|------|-----|----|----|----|------------|
| ALLUMINIO | 31 CT10 15 | 1F | 15 | 47.75 | 45.90 | 51 | 32 | 21 | 31 | 8 | 16 |
| | 31 CT10 16 | 1F | 16 | 50.93 | 49.05 | 54 | 35 | 21 | 31 | 8 | 18 |
| | 31 CT10 18 | 1F | 18 | 57.29 | 55.45 | 60 | 40 | 21 | 31 | 8 | 21 |
| | 31 CT10 19 | 1F | 19 | 60.48 | 58.60 | 66.5 | 44 | 21 | 31 | 8 | 24 |
| | 31 CT10 20 | 1F | 20 | 63.66 | 61.80 | 66.5 | 46 | 21 | 31 | 8 | 24 |
| | 31 CT10 22 | 1F | 22 | 70.03 | 68.15 | 75 | 52 | 21 | 31 | 8 | 27 |
| | 31 CT10 24 | 1F | 24 | 76.39 | 74.55 | 83 | 58 | 21 | 31 | 8 | 29 |
| | 31 CT10 25 | 1F | 25 | 79.58 | 77.70 | 83 | 60 | 21 | 31 | 8 | 29 |
| | 31 CT10 26 | 1F | 26 | 82.76 | 80.90 | 87 | 60 | 21 | 31 | 8 | 31 |
| | 31 CT10 27 | 1F | 27 | 85.95 | 84.10 | 91 | 60 | 21 | 31 | 8 | 32 |
| | 31 CT10 28 | 1F | 28 | 89.12 | 87.25 | 93 | 60 | 21 | 31 | 8 | 33 |
| | 31 CT10 30 | 1F | 30 | 95.49 | 93.65 | 102 | 60 | 21 | 31 | 8 | 35 |
| | 31 CT10 32 | 1F | 32 | 101.86 | 100.00 | 106 | 65 | 21 | 31 | 10 | 38 |
| | 31 CT10 36 | 1F | 36 | 114.59 | 112.75 | 119 | 70 | 21 | 31 | 10 | 43 |
| | 31 CT10 40 | 1F | 40 | 127.32 | 125.45 | 131 | 80 | 21 | 31 | 10 | 47 |
| | 31 CT10 44 | 2 | 44 | 140.05 | 138.20 | - | 88 | 21 | 31 | 10 | - |
| | 31 CT10 48 | 2 | 48 | 152.78 | 150.95 | - | 95 | 21 | 31 | 16 | - |
| | 31 CT10 60 | 2 | 60 | 190.98 | 189.10 | - | 110 | 21 | 31 | 16 | - |

CT10 (Passo 10mm) PER CINGHIA LARGHEZZA 25mm

| | DESCRIZIONE | ESEC. | N. denti | Dp | De | Df | Dm | F | L | d | FLANGIA N. |
|-----------|-------------|-------|----------|--------|--------|------|-----|----|----|----|------------|
| ALLUMINIO | 40 CT10 15 | 1F | 15 | 47.75 | 45.90 | 51 | 32 | 30 | 40 | 8 | 16 |
| | 40 CT10 16 | 1F | 16 | 50.93 | 49.05 | 54 | 35 | 30 | 40 | 8 | 18 |
| | 40 CT10 18 | 1F | 18 | 57.29 | 55.45 | 60 | 40 | 30 | 40 | 8 | 21 |
| | 40 CT10 19 | 1F | 19 | 60.48 | 58.60 | 66.5 | 44 | 30 | 40 | 8 | 24 |
| | 40 CT10 20 | 1F | 20 | 63.66 | 61.80 | 66.5 | 46 | 30 | 40 | 8 | 24 |
| | 40 CT10 22 | 1F | 22 | 70.03 | 68.15 | 75 | 52 | 30 | 40 | 8 | 27 |
| | 40 CT10 24 | 1F | 24 | 76.39 | 74.55 | 83 | 58 | 30 | 40 | 8 | 29 |
| | 40 CT10 25 | 1F | 25 | 79.58 | 77.70 | 83 | 60 | 30 | 40 | 8 | 29 |
| | 40 CT10 26 | 1F | 26 | 82.76 | 80.90 | 87 | 60 | 30 | 40 | 8 | 31 |
| | 40 CT10 27 | 1F | 27 | 85.95 | 84.10 | 91 | 60 | 30 | 40 | 8 | 32 |
| | 40 CT10 28 | 1F | 28 | 89.12 | 87.25 | 93 | 60 | 30 | 40 | 8 | 33 |
| | 40 CT10 30 | 1F | 30 | 95.49 | 93.65 | 102 | 60 | 30 | 40 | 8 | 35 |
| | 40 CT10 32 | 1F | 32 | 101.86 | 100.00 | 106 | 65 | 30 | 40 | 10 | 38 |
| | 40 CT10 36 | 1F | 36 | 114.59 | 112.75 | 119 | 70 | 30 | 40 | 10 | 43 |
| | 40 CT10 40 | 1F | 40 | 127.32 | 125.45 | 131 | 80 | 30 | 40 | 10 | 47 |
| | 40 CT10 44 | 2 | 44 | 140.05 | 138.20 | - | 88 | 30 | 40 | 10 | - |
| | 40 CT10 48 | 2 | 48 | 152.78 | 150.95 | - | 95 | 30 | 40 | 16 | - |
| | 40 CT10 60 | 2 | 60 | 190.98 | 189.10 | - | 110 | 30 | 40 | 16 | - |



PULEGGE "CT" PER CINGHIE DENTATE PASSO METRICO "AT"

CT10 (Passo 10mm) PER CINGHIA LARGHEZZA 32mm

| | DESCRIZIONE | ESEC. | N. denti | Dp | De | Df | Dm | F | L | d | FLANGIA N. |
|------------|-------------|-------|----------|--------|--------|------|----|----|----|----|------------|
| ALLUMINIO | 47 CT10 18 | 1F | 18 | 57.29 | 55.45 | 60 | 40 | 37 | 47 | 10 | 21 |
| | 47 CT10 19 | 1F | 19 | 60.48 | 58.60 | 66.5 | 44 | 37 | 47 | 10 | 24 |
| | 47 CT10 20 | 1F | 20 | 63.66 | 61.80 | 66.5 | 46 | 37 | 47 | 12 | 24 |
| | 47 CT10 22 | 1F | 22 | 70.03 | 68.15 | 75 | 52 | 37 | 47 | 12 | 27 |
| | 47 CT10 24 | 1F | 24 | 76.39 | 74.55 | 83 | 58 | 37 | 47 | 12 | 29 |
| | 47 CT10 25 | 1F | 25 | 79.58 | 77.70 | 83 | 60 | 37 | 47 | 12 | 29 |
| | 47 CT10 26 | 1F | 26 | 82.76 | 80.90 | 87 | 60 | 37 | 47 | 12 | 31 |
| | 47 CT10 27 | 1F | 27 | 85.95 | 84.10 | 91 | 60 | 37 | 47 | 12 | 32 |
| | 47 CT10 28 | 1F | 28 | 89.12 | 87.25 | 93 | 60 | 37 | 47 | 12 | 33 |
| | 47 CT10 30 | 1F | 30 | 95.49 | 93.65 | 102 | 60 | 37 | 47 | 12 | 35 |
| | 47 CT10 32 | 1F | 32 | 101.86 | 100.00 | 106 | 65 | 37 | 47 | 12 | 38 |
| | 47 CT10 36 | 1F | 36 | 114.59 | 112.75 | 119 | 70 | 37 | 47 | 16 | 43 |
| | 47 CT10 40 | 1F | 40 | 127.32 | 125.45 | 131 | 80 | 37 | 47 | 16 | 47 |
| | 47 CT10 44 | 2 | 44 | 140.05 | 138.20 | - | 88 | 37 | 47 | 16 | - |
| | 47 CT10 48 | 2 | 48 | 152.78 | 150.95 | - | 95 | 37 | 47 | 16 | - |
| 47 CT10 60 | 2 | 60 | 190.98 | 189.10 | - | 110 | 37 | 47 | 16 | - | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

CT10 (Passo 10mm) PER CINGHIA LARGHEZZA 50mm

| | DESCRIZIONE | ESEC. | N. denti | Dp | De | Df | Dm | F | L | d | FLANGIA N. |
|------------|-------------|-------|----------|--------|--------|------|----|----|----|----|------------|
| ALLUMINIO | 66 CT10 18 | 1F | 18 | 57.29 | 55.45 | 60 | 40 | 56 | 66 | 10 | 21 |
| | 66 CT10 19 | 1F | 19 | 60.48 | 58.60 | 66.5 | 44 | 56 | 66 | 10 | 24 |
| | 66 CT10 20 | 1F | 20 | 63.66 | 61.80 | 66.5 | 46 | 56 | 66 | 12 | 24 |
| | 66 CT10 22 | 1F | 22 | 70.03 | 68.15 | 75 | 52 | 56 | 66 | 12 | 27 |
| | 66 CT10 24 | 1F | 24 | 76.39 | 74.55 | 83 | 58 | 56 | 66 | 12 | 29 |
| | 66 CT10 25 | 1F | 25 | 79.58 | 77.70 | 83 | 60 | 56 | 66 | 12 | 29 |
| | 66 CT10 26 | 1F | 26 | 82.76 | 80.90 | 87 | 60 | 56 | 66 | 12 | 31 |
| | 66 CT10 27 | 1F | 27 | 85.95 | 84.10 | 91 | 60 | 56 | 66 | 12 | 32 |
| | 66 CT10 28 | 1F | 28 | 89.12 | 87.25 | 93 | 60 | 56 | 66 | 12 | 33 |
| | 66 CT10 30 | 1F | 30 | 95.49 | 93.65 | 102 | 60 | 56 | 66 | 12 | 35 |
| | 66 CT10 32 | 1F | 32 | 101.86 | 100.00 | 106 | 65 | 56 | 66 | 12 | 38 |
| | 66 CT10 36 | 1F | 36 | 114.59 | 112.75 | 119 | 70 | 56 | 66 | 16 | 43 |
| | 66 CT10 40 | 1F | 40 | 127.32 | 125.45 | 131 | 80 | 56 | 66 | 16 | 47 |
| | 66 CT10 44 | 2 | 44 | 140.05 | 138.20 | - | 88 | 56 | 66 | 16 | - |
| | 66 CT10 48 | 2 | 48 | 152.78 | 150.95 | - | 95 | 56 | 66 | 16 | - |
| 66 CT10 60 | 2 | 60 | 190.98 | 189.10 | - | 110 | 56 | 66 | 16 | - | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

A richiesta si costruiscono pulegge e barre passo CT20